

## MATERIAL SAFETY DATA SHEET

1.0	IDENTIFICATION				
1.1	Product Name: RROST				
1.2	Supplier: FENTEX LTD, Units E1-E3 Brook Farm Business Park, Thrapston Road,				
	Ellington, Cambs, PE28 0AE.				
	Tel: 01480 890 104				
	Fax: 01480 890 105				
	e-mail: sales@fentex.co.uk				
2.0	HAZARD IDENTIFICATION				
2.1	Nature of Hazard Irritant				
	Eye Contact Irritant				
	Skin Contact Irritant				
	Inhalation Low Toxicity				
	Ingestion Harmful if swallowed				
3.0	COMPOSITION/INFORMATION ON INGREDIENTS				
3.1	Chemical Nature :Liquid Cleaner				
3.2	Hazardous Nature :Irritant				
	Ingredient Name CAS No. Proportion (%) Danger Category/Risk Phrase				
	Sodium Metasilicate 510 6834-929-0 1-10 (C) R34; (Xi) R37				
	Alkyl Glucoside/ - 0-1 (Xi) R41				
	Alcohol Ethoxylate Surfactant Blend				
	Butyl Glycol 111-76-2 1-10 (Xn) R20/21/22 (Xi) R36/38				
	Non hazardous chelating agent. <0.05 fluorescent dye solution.				
4.0	FIRST AID MEASURES				
4.1	Eye Contact :The eyes must be opened and irrigated freely with clean water for at least 15				
	minutes. If irritation persists, seek medical advice.				
4.2	Skin Contact :Remove contaminated clothing, wash skin thoroughly with water. If irritation				
	persists seek medical advice.				
4.3	Inhalation :Remove patient from exposure to fresh air. Keep warm and at rest. Obtain				
	medical attention.				
4.4	Ingestion :Do not induce vomiting. Wash out mouth with water and give 200-300mls water				
	to drink. Obtain medical attention if ill effects persist.				
5.0	FIRE FIGHTING MEASURES				
5.1	Extinguishing Media :CO2 foam, Dry Powder.				
5.2	Unusual Fire and Explosion Hazards :None				
5.3	Special Fire Fighting Procedures :Fires in closed or confined spaces should be tackled by				
	trained personnel wearing breathing apparatus.				

6.0 ACCIDENTAL RELEASE MEASURES 6.1 Spillage :Use personal protective equipment. Soak up with earth or sand and dispose of in accordance with local regulations. After cleaning flush away traces with water.  7.0 HANDLING AND STORAGE 7.1 Handling :Avoid prolonged contact with the skin and eyes. Do not breathe vapour/spray. Provide adequate ventilation.  7.2 Storage :Store in full sealed drums protected from heat and air, away from sources of ignition in a well ventilated place. Solids could form if liquid evaporates, this is combustible. Protect from freezing.  8.0 EXPOSURE CONTROLS/PERSONAL PROTECTION 8.1 Respiratory :Wear suitable respiratory equipment should concentration in air exceed OEL. 8.2 Skin :Use suitable gloves such as butyl rubber if there is a risk of skin contact.  8.4 Provide eyewash, quick drench.  9.1 Cocupational Exposure Limits :  9.2 Name: CAS No: Exposure Limits:  9.3 PHYSICAL AND CHEMICAL PROPERTIES  9.1 PHYSICAL AND CHEMICAL PROPERTIES  9.1 PHYSICAL AND CHEMICAL PROPERTIES  9.1 PHYSICAL AND CHEMICAL PROPERTIES  9.2 PHYSICAL AND CHEMICAL PROPERTIES  9.3 Odour :Slight  9.4 Odour :Slight  9.5 PH :12,20-13.00  9.6 Flash Point :Non Flammable  9.7 Oxidising Properties :N/A  9.8 Solubility (water) :100% Soluble  9.9 Solubility (water) :109g/cm3kg.m3 @ 20°C  10.0 STABILITY AND REACTIVITY  10.1 Conditions to Avoid :Avoid contact with oxidising agents.  10.2 Hazardous Decomposition Products :Decomposes with heat. Will emit Ammonia and Nitrogen oxides if heated to decomposure.  10.4 Stability :Stable under the recommended storage and handling conditions. (see section 7)		T				
6.1 Spillage :Use personal protective equipment. Soak up with earth or sand and dispose of in accordance with local regulations. After cleaning flush away traces with water.  7.0 HANDLING AND STORAGE  7.1 Handling :Avoid prolonged contact with the skin and eyes. Do not breathe vapour/spray. Provide adequate ventilation.  7.2 Storage :Store in full sealed drums protected from heat and air, away from sources of ignition in a well ventilated place. Solids could form if liquid evaporates, this is combustible. Protect from freezing.  8.0 EXPOSURE CONTROLS/PERSONAL PROTECTION  8.1 Respiratory :Wear suitable respiratory equipment should concentration in air exceed OEL. Skin :Use suitable gloves such as butyl rubber if there is a risk of skin contact.  8.2 Eye :Wear splash proof eye goggles to prevent any possibility of eye contact Provide eyewash, quick drench.  8.4 Occupational Exposure Limits :  Name: CAS No: Exposure Limits:  Name: CAS No: Exposure Limits:  Butyl Glycol 111-76-2 WEL (8 hr TWA) 123mg/m3  9.0 PHYSICAL AND CHEMICAL PROPERTIES  Form :Liquid  Colour :Fluorescent Green/Yellow  9.1 Odour :Slight  Odour :Slight  Odour :High  pH :12.00-13.00  Flash Point :Non Flammable  Oxidising Properties :N/A  Solubility (water) :100% Soluble  Solubility (other) :No Data  Specific Gravity :1.09g/cm3kg.m3 @ 20°C   10.0 STABILITY AND REACTIVITY  Conditions to Avoid :Avoid contact with oxidising agents.  10.1 Conditions to Avoid :Strongly alkaline acid and alkali materials.  Hazardous Decomposition Products : Decomposes with heat. Will emit Ammonia and Nitrogen oxides if heated to decomposure.	6.0	ACCIDENTAL DELEASE MEASUDES				
accordance with local regulations. After cleaning flush away traces with water.  7.0 7.1 HANDLING AND STORAGE Handling :Avoid prolonged contact with the skin and eyes. Do not breathe vapour/spray. Provide adequate ventilation.  7.2 Storage :Store in full sealed drums protected from heat and air, away from sources of ignition in a well ventilated place. Solids could form if liquid evaporates, this is combustible. Protect from freezing.  8.0 EXPOSURE CONTROLS/PERSONAL PROTECTION 8.1 Respiratory :Wear suitable respiratory equipment should concentration in air exceed OEL. 8.2 Skin :Use suitable gloves such as butyl rubber if there is a risk of skin contact. Eye :Wear splash proof eye goggles to prevent any possibility of eye contact Provide eyewash, quick drench.  Occupational Exposure Limits: Name:						
7.0 7.1 HANDLING AND STORAGE 7.1 Handling :Avoid prolonged contact with the skin and eyes. Do not breathe vapour/spray. Provide adequate ventilation. 7.2 Storage :Store in full sealed drums protected from heat and air, away from sources of ignition in a well ventilated place. Solids could form if liquid evaporates, this is combustible. Protect from freezing.  8.0 EXPOSURE CONTROLS/PERSONAL PROTECTION Respiratory :Wear suitable respiratory equipment should concentration in air exceed OEL. 8.1 Skin :Use suitable gloves such as butyl rubber if there is a risk of skin contact. 8.2 Eye :Wear splash proof eye goggles to prevent any possibility of eye contact Provide eyewash, quick drench.  Occupational Exposure Limits: Name: CAS No: Exposure Limits: Butyl Glycol 111-76-2 WEL (8 hr TWA) 123mg/m3  9.0 PHYSICAL AND CHEMICAL PROPERTIES Form :Liquid Colour :Fluorescent Green/Yellow 9.3 Odour :Slight Odour Threshold :High pH :12.00-13.00 Flash Point :Non Flammable Oxidising Properties :N/A Solubility (water) :100% Soluble Solubility (other) :No Data Specific Gravity :1.09g/cm3kg.m3 @ 20°C  10.0 STABILITY AND REACTIVITY Conditions to Avoid :Avoid contact with oxidising agents. 10.2 Materials to Avoid :Strongly alkaline acid and alkali materials. 10.3 Hazardous Decomposition Products :Decomposes with heat. Will emit Ammonia and Nitrogen oxides if heated to decomposure. Stable under the recommended storage and handling	0.1					
7.1 Handling :Avoid prolonged contact with the skin and eyes. Do not breathe vapour/spray. Provide adequate ventilation.  7.2 Storage :Store in full sealed drums protected from heat and air, away from sources of ignition in a well ventilated place. Solids could form if liquid evaporates, this is combustible. Protect from freezing.  8.0 EXPOSURE CONTROLS/PERSONAL PROTECTION  8.1 Respiratory :Wear suitable respiratory equipment should concentration in air exceed OEL.  8.2 Skin :Use suitable gloves such as butyl rubber if there is a risk of skin contact.  8.3 Eye :Wear splash proof eye goggles to prevent any possibility of eye contact Provide eyewash, quick drench.  8.4 Occupational Exposure Limits :  Name: CAS No: Exposure Limits:  Sumply Glycol 111-76-2 WEL (8 hr TWA) 123mg/m3  9.0 PHYSICAL AND CHEMICAL PROPERTIES  9.1 Form :Liquid  9.2 Colour :Fluorescent Green/Yellow  9.3 Odour :Slight  9.4 Odour Threshold :High  9.5 pH :12.00-13.00  9.6 Flash Point :Non Flammable  9.7 Oxidising Properties :N/A  9.8 Solubility (water) :100% Soluble  9.9 Solubility (water) :100% Soluble  9.9 Solubility (other) :No Data  9.0 STABILITY AND REACTIVITY  10.1 Conditions to Avoid :Avoid contact with oxidising agents.  10.2 Materials to Avoid :Strongly alkaline acid and alkali materials.  10.3 Hazardous Decomposition Products :Decomposes with heat. Will emit Ammonia and Nitrogen oxides if heated to decomposure.		decordance with rocal	regulations. Titler creating flush away traces with water.			
7.1 Handling :Avoid prolonged contact with the skin and eyes. Do not breathe vapour/spray. Provide adequate ventilation.  7.2 Storage :Store in full sealed drums protected from heat and air, away from sources of ignition in a well ventilated place. Solids could form if liquid evaporates, this is combustible. Protect from freezing.  8.0 EXPOSURE CONTROLS/PERSONAL PROTECTION  8.1 Respiratory :Wear suitable respiratory equipment should concentration in air exceed OEL.  8.2 Skin :Use suitable gloves such as butyl rubber if there is a risk of skin contact.  8.3 Eye :Wear splash proof eye goggles to prevent any possibility of eye contact Provide eyewash, quick drench.  8.4 Occupational Exposure Limits :  Name: CAS No: Exposure Limits:  Sumply Glycol 111-76-2 WEL (8 hr TWA) 123mg/m3  9.0 PHYSICAL AND CHEMICAL PROPERTIES  9.1 Form :Liquid  9.2 Colour :Fluorescent Green/Yellow  9.3 Odour :Slight  9.4 Odour Threshold :High  9.5 pH :12.00-13.00  9.6 Flash Point :Non Flammable  9.7 Oxidising Properties :N/A  9.8 Solubility (water) :100% Soluble  9.9 Solubility (water) :100% Soluble  9.9 Solubility (other) :No Data  9.0 STABILITY AND REACTIVITY  10.1 Conditions to Avoid :Avoid contact with oxidising agents.  10.2 Materials to Avoid :Strongly alkaline acid and alkali materials.  10.3 Hazardous Decomposition Products :Decomposes with heat. Will emit Ammonia and Nitrogen oxides if heated to decomposure.						
Provide adequate ventilation.  Storage and Storage Storage Storage and Storage Storage and Storage Storage and Storage						
Storage   Storage   Store in full sealed drums protected from heat and air, away from sources of ignition in a well ventilated place. Solids could form if liquid evaporates, this is combustible. Protect from freezing.    Storage   Storage   Storage   Storage   Storage	7.1					
ignition in a well ventilated place. Solids could form if liquid evaporates, this is combustible. Protect from freezing.  8.0 8.1 8.2 8.2 8.3 8.3 8.4 Cocupational Exposure Limits: Name: CAS No: Butyl Glycol 111-76-2 Colour 9.2 Colour 9.3 Colour 9.3 Colour 9.4 Codour Threshold 9.5 PH 112.00-13.00 9.6 Flash Point 9.7 Oxidising Properties 9.8 Solubility (water) 9.9 Solubility (water) 9.0 STABILITY AND REACTIVITY 10.1 Conditions to Avoid 10.2 Stability 10.4 Stability Stable under the recommended storage and handling 10.4 Stability Stable under the recommended storage and handling	7.2	<u>-</u>				
8.0 EXPOSURE CONTROLS/PERSONAL PROTECTION 8.1 Respiratory :Wear suitable respiratory equipment should concentration in air exceed OEL. 8.2 Skin :Use suitable gloves such as butyl rubber if there is a risk of skin contact. 8.3 Eye :Wear splash proof eye goggles to prevent any possibility of eye contact Provide eyewash, quick drench. 8.4 Occupational Exposure Limits : Name: CAS No: Exposure Limits: Butyl Glycol 111-76-2 WEL (8 hr TWA) 123mg/m3  9.0 PHYSICAL AND CHEMICAL PROPERTIES 9.1 Form :Liquid 9.2 Colour :Fluorescent Green/Yellow 9.3 Odour :Slight 9.4 Odour Threshold :High 9.5 pH :12.00-13.00 9.6 Flash Point :Non Flammable 9.7 Oxidising Properties :N/A 9.8 Solubility (water) :100% Soluble 9.9 Solubility (water) :100% Soluble 9.9 Solubility (other) :No Data 9.10 STABILITY AND REACTIVITY 10.1 Conditions to Avoid :Avoid contact with oxidising agents. 10.2 Materials to Avoid :Strongly alkaline acid and alkali materials. 10.3 Hazardous Decomposition Products :Decomposes with heat. Will emit Ammonia and Nitrogen oxides if heated to decomposure. 10.4 Stability :Stabile under the recommended storage and handling						
8.1 Respiratory :Wear suitable respiratory equipment should concentration in air exceed OEL. 8.2 Skin :Use suitable gloves such as butyl rubber if there is a risk of skin contact. 8.3 Eye :Wear splash proof eye goggles to prevent any possibility of eye contact Provide eyewash, quick drench. 8.4 Occupational Exposure Limits :     Name: CAS No: Exposure Limits:     Butyl Glycol 111-76-2 WEL (8 hr TWA) 123mg/m3  9.0 PHYSICAL AND CHEMICAL PROPERTIES 9.1 Form :Liquid 9.2 Colour :Fluorescent Green/Yellow 9.3 Odour :Slight 9.4 Odour Threshold :High 9.5 pH :12.00-13.00 9.6 Flash Point :Non Flammable 9.7 Oxidising Properties :N/A 9.8 Solubility (water) :100% Soluble 9.9 Solubility (other) :No Data 9.10 Specific Gravity :1.09g/cm3kg.m3 @ 20°C  10.0 STABILITY AND REACTIVITY 10.1 Conditions to Avoid :Strongly alkaline acid and alkali materials. 10.2 Materials to Avoid :Strongly alkaline acid and alkali materials. 10.3 Hazardous Decomposition Products :Decomposes with heat. Will emit Ammonia and Nitrogen oxides if heated to decomposure. 10.4 Stability :Stable under the recommended storage and handling						
8.1 Respiratory :Wear suitable respiratory equipment should concentration in air exceed OEL. 8.2 Skin :Use suitable gloves such as butyl rubber if there is a risk of skin contact. 8.3 Eye :Wear splash proof eye goggles to prevent any possibility of eye contact Provide eyewash, quick drench. 8.4 Occupational Exposure Limits :     Name: CAS No: Exposure Limits:     Butyl Glycol 111-76-2 WEL (8 hr TWA) 123mg/m3  9.0 PHYSICAL AND CHEMICAL PROPERTIES 9.1 Form :Liquid 9.2 Colour :Fluorescent Green/Yellow 9.3 Odour :Slight 9.4 Odour Threshold :High 9.5 pH :12.00-13.00 9.6 Flash Point :Non Flammable 9.7 Oxidising Properties :N/A 9.8 Solubility (water) :100% Soluble 9.9 Solubility (water) :100% Soluble 9.9 Solubility (other) :No Data 9.10 STABILITY AND REACTIVITY 10.1 Conditions to Avoid :Avoid contact with oxidising agents. 10.2 Materials to Avoid :Strongly alkaline acid and alkali materials. 10.3 Hazardous Decomposition Products :Decomposes with heat. Will emit Ammonia and Nitrogen oxides if heated to decomposure. 10.4 Stability :Stable under the recommended storage and handling						
8.2 Skin :Use suitable gloves such as butyl rubber if there is a risk of skin contact.  8.3 Eye :Wear splash proof eye goggles to prevent any possibility of eye contact Provide eyewash, quick drench.  8.4 Occupational Exposure Limits: Name: CAS No: Exposure Limits: Butyl Glycol 111-76-2 WEL (8 hr TWA) 123mg/m3  9.0 PHYSICAL AND CHEMICAL PROPERTIES 9.1 Form :Liquid 9.2 Colour :Fluorescent Green/Yellow 9.3 Odour :Slight 9.4 Odour Threshold :High 9.5 pH :12.00-13.00  9.6 Flash Point :Non Flammable 9.7 Oxidising Properties :N/A 9.8 Solubility (water) :100% Soluble 9.9 Solubility (water) :No Data 9.10 STABILITY AND REACTIVITY 10.1 Conditions to Avoid :Strongly alkaline acid and alkali materials. 10.2 Materials to Avoid :Strongly alkaline acid and alkali materials. 10.3 Hazardous Decomposition Products :Decomposes with heat. Will emit Ammonia and Nitrogen oxides if heated to decomposure. 10.4 Stability :Stable under the recommended storage and handling		EXPOSURE CONTROLS/PERSONAL PROTECTION				
8.3 Eye :Wear splash proof eye goggles to prevent any possibility of eye contact Provide eyewash, quick drench.  8.4 Occupational Exposure Limits: Name: CAS No: Exposure Limits: Butyl Glycol 111-76-2 WEL (8 hr TWA) 123mg/m3  9.0 PHYSICAL AND CHEMICAL PROPERTIES 9.1 Form :Liquid 9.2 Colour :Fluorescent Green/Yellow 9.3 Odour :Slight 9.4 Odour Threshold :High 9.5 pH :12.00-13.00 9.6 Flash Point :Non Flammable 9.7 Oxidising Properties :N/A 9.8 Solubility (water) :100% Soluble 9.9 Solubility (water) :No Data 9.10 STABILITY AND REACTIVITY 10.1 Conditions to Avoid :Strongly alkaline acid and alkali materials. 10.2 Materials to Avoid :Strongly alkaline acid and alkali materials. 10.3 Hazardous Decomposition Products :Decomposes with heat. Will emit Ammonia and Nitrogen oxides if heated to decomposure. 10.4 Stability :Stable under the recommended storage and handling		Respiratory :Wear suitable respiratory equipment should concentration in air exceed OEL.				
Provide eyewash, quick drench.  8.4 Occupational Exposure Limits: Name: CAS No: Exposure Limits: Butyl Glycol 111-76-2 WEL (8 hr TWA) 123mg/m3  9.0 PHYSICAL AND CHEMICAL PROPERTIES 9.1 Form :Liquid 9.2 Colour :Fluorescent Green/Yellow 9.3 Odour :Slight 9.4 Odour Threshold :High 9.5 pH :12.00-13.00 9.6 Flash Point :Non Flammable 9.7 Oxidising Properties :N/A 9.8 Solubility (water) :100% Soluble 9.9 Solubility (other) :No Data 9.10 Specific Gravity :1.09g/cm3kg.m3 @ 20°C  10.0 STABILITY AND REACTIVITY 10.1 Conditions to Avoid :Avoid contact with oxidising agents. 10.2 Materials to Avoid :Strongly alkaline acid and alkali materials. 10.3 Hazardous Decomposition Products :Decomposes with heat. Will emit Ammonia and Nitrogen oxides if heated to decomposure. 10.4 Stability :Stable under the recommended storage and handling		Skin :Use suitable gloves such as butyl rubber if there is a risk of skin contact.				
8.4 Occupational Exposure Limits: Name: CAS No: Exposure Limits: Butyl Glycol 111-76-2 WEL (8 hr TWA) 123mg/m3  9.0 PHYSICAL AND CHEMICAL PROPERTIES 9.1 Form : Liquid 9.2 Colour :Fluorescent Green/Yellow 9.3 Odour :Slight 9.4 Odour Threshold :High 9.5 pH :12.00-13.00 9.6 Flash Point :Non Flammable 9.7 Oxidising Properties :N/A 9.8 Solubility (water) :100% Soluble 9.9 Solubility (other) :No Data 9.10 STABILITY AND REACTIVITY 10.1 Conditions to Avoid :Avoid contact with oxidising agents. 10.2 Materials to Avoid :Strongly alkaline acid and alkali materials. 10.3 Hazardous Decomposition Products :Decomposes with heat. Will emit Ammonia and Nitrogen oxides if heated to decomposure. 10.4 Stability :Stable under the recommended storage and handling	8.3					
Name: CAS No: Exposure Limits: Butyl Glycol 111-76-2 WEL (8 hr TWA) 123mg/m3  9.0 PHYSICAL AND CHEMICAL PROPERTIES 9.1 Form :Liquid 9.2 Colour :Fluorescent Green/Yellow 9.3 Odour :Slight 9.4 Odour Threshold :High 9.5 pH :12.00-13.00 9.6 Flash Point :Non Flammable 9.7 Oxidising Properties :N/A 9.8 Solubility (water) :100% Soluble 9.9 Solubility (other) :No Data 9.10 Specific Gravity :1.09g/cm3kg.m3 @ 20°C  10.0 STABILITY AND REACTIVITY 10.1 Conditions to Avoid :Strongly alkaline acid and alkali materials. 10.2 Materials to Avoid :Strongly alkaline acid and alkali materials. 10.3 Hazardous Decomposition Products :Decomposes with heat. Will emit Ammonia and Nitrogen oxides if heated to decomposure. 10.4 Stability :Stable under the recommended storage and handling		<b>y</b> , 1				
Butyl Glycol 111-76-2 WEL (8 hr TWA) 123mg/m3  9.0 PHYSICAL AND CHEMICAL PROPERTIES 9.1 Form :Liquid 9.2 Colour :Fluorescent Green/Yellow 9.3 Odour :Slight 9.4 Odour Threshold :High 9.5 pH :12.00-13.00 9.6 Flash Point :Non Flammable 9.7 Oxidising Properties :N/A 9.8 Solubility (water) :100% Soluble 9.9 Solubility (other) :No Data 9.10 Specific Gravity :1.09g/cm3kg.m3 @ 20°C  10.0 STABILITY AND REACTIVITY 10.1 Conditions to Avoid :Avoid contact with oxidising agents. 10.2 Materials to Avoid :Strongly alkaline acid and alkali materials. 10.3 Hazardous Decomposition Products :Decomposes with heat. Will emit Ammonia and Nitrogen oxides if heated to decomposure. 10.4 Stability :Stable under the recommended storage and handling	8.4					
9.0 PHYSICAL AND CHEMICAL PROPERTIES 9.1 Form :Liquid 9.2 Colour :Fluorescent Green/Yellow 9.3 Odour :Slight 9.4 Odour Threshold :High 9.5 pH :12.00-13.00 9.6 Flash Point :Non Flammable 9.7 Oxidising Properties :N/A 9.8 Solubility (water) :100% Soluble 9.9 Solubility (other) :No Data 9.10 Specific Gravity :1.09g/cm3kg.m3 @ 20°C  10.0 STABILITY AND REACTIVITY 10.1 Conditions to Avoid :Avoid contact with oxidising agents. 10.2 Materials to Avoid :Strongly alkaline acid and alkali materials. 10.3 Hazardous Decomposition Products :Decomposes with heat. Will emit Ammonia and Nitrogen oxides if heated to decomposure. 10.4 Stability :Stable under the recommended storage and handling			1			
9.1 Form :Liquid 9.2 Colour :Fluorescent Green/Yellow 9.3 Odour :Slight 9.4 Odour Threshold :High 9.5 pH :12.00-13.00 9.6 Flash Point :Non Flammable 9.7 Oxidising Properties :N/A 9.8 Solubility (water) :100% Soluble 9.9 Solubility (other) :No Data 9.10 Specific Gravity :1.09g/cm3kg.m3 @ 20°C  10.0 STABILITY AND REACTIVITY 10.1 Conditions to Avoid :Avoid contact with oxidising agents. 10.2 Materials to Avoid :Strongly alkaline acid and alkali materials. 10.3 Hazardous Decomposition Products :Decomposes with heat. Will emit Ammonia and Nitrogen oxides if heated to decomposure. 10.4 Stability :Stable under the recommended storage and handling		Butyl Glycol 111-76-2	2 WEL (8 hr TWA) 123mg/m3			
9.1 Form :Liquid 9.2 Colour :Fluorescent Green/Yellow 9.3 Odour :Slight 9.4 Odour Threshold :High 9.5 pH :12.00-13.00 9.6 Flash Point :Non Flammable 9.7 Oxidising Properties :N/A 9.8 Solubility (water) :100% Soluble 9.9 Solubility (other) :No Data 9.10 Specific Gravity :1.09g/cm3kg.m3 @ 20°C  10.0 STABILITY AND REACTIVITY 10.1 Conditions to Avoid :Avoid contact with oxidising agents. 10.2 Materials to Avoid :Strongly alkaline acid and alkali materials. 10.3 Hazardous Decomposition Products :Decomposes with heat. Will emit Ammonia and Nitrogen oxides if heated to decomposure. 10.4 Stability :Stable under the recommended storage and handling	9.0	PHYSICAL AND CHEMICAL PROPERTIES				
9.2 Colour :Fluorescent Green/Yellow 9.3 Odour :Slight 9.4 Odour Threshold :High 9.5 pH :12.00-13.00 9.6 Flash Point :Non Flammable 9.7 Oxidising Properties :N/A 9.8 Solubility (water) :100% Soluble 9.9 Solubility (other) :No Data 9.10 Specific Gravity :1.09g/cm3kg.m3 @ 20°C  10.0 STABILITY AND REACTIVITY 10.1 Conditions to Avoid :Avoid contact with oxidising agents. 10.2 Materials to Avoid :Strongly alkaline acid and alkali materials. 10.3 Hazardous Decomposition Products :Decomposes with heat. Will emit Ammonia and Nitrogen oxides if heated to decomposure. 10.4 Stability :Stable under the recommended storage and handling						
9.3 Odour :Slight 9.4 Odour Threshold :High 9.5 pH :12.00-13.00 9.6 Flash Point :Non Flammable 9.7 Oxidising Properties :N/A 9.8 Solubility (water) :100% Soluble 9.9 Solubility (other) :No Data 9.10 Specific Gravity :1.09g/cm3kg.m3 @ 20°C  10.0 STABILITY AND REACTIVITY 10.1 Conditions to Avoid :Avoid contact with oxidising agents. 10.2 Materials to Avoid :Strongly alkaline acid and alkali materials. 10.3 Hazardous Decomposition Products :Decomposes with heat. Will emit Ammonia and Nitrogen oxides if heated to decomposure. 10.4 Stability :Stable under the recommended storage and handling			<u>*</u>			
9.4 Odour Threshold :High 9.5 pH :12.00-13.00 9.6 Flash Point :Non Flammable 9.7 Oxidising Properties :N/A 9.8 Solubility (water) :100% Soluble 9.9 Solubility (other) :No Data 9.10 Specific Gravity :1.09g/cm3kg.m3 @ 20°C  10.0 STABILITY AND REACTIVITY 10.1 Conditions to Avoid :Avoid contact with oxidising agents. 10.2 Materials to Avoid :Strongly alkaline acid and alkali materials. 10.3 Hazardous Decomposition Products :Decomposes with heat. Will emit Ammonia and Nitrogen oxides if heated to decomposure. 10.4 Stability :Stable under the recommended storage and handling						
9.5 pH :12.00-13.00 9.6 Flash Point :Non Flammable 9.7 Oxidising Properties :N/A 9.8 Solubility (water) :100% Soluble 9.9 Solubility (other) :No Data 9.10 Specific Gravity :1.09g/cm3kg.m3 @ 20°C  10.0 STABILITY AND REACTIVITY 10.1 Conditions to Avoid :Avoid contact with oxidising agents. 10.2 Materials to Avoid :Strongly alkaline acid and alkali materials. 10.3 Hazardous Decomposition Products :Decomposes with heat. Will emit Ammonia and Nitrogen oxides if heated to decomposure. 10.4 Stability :Stable under the recommended storage and handling						
9.6 Flash Point :Non Flammable 9.7 Oxidising Properties :N/A 9.8 Solubility (water) :100% Soluble 9.9 Solubility (other) :No Data 9.10 Specific Gravity :1.09g/cm3kg.m3 @ 20°C  10.0 STABILITY AND REACTIVITY 10.1 Conditions to Avoid :Avoid contact with oxidising agents. 10.2 Materials to Avoid :Strongly alkaline acid and alkali materials. 10.3 Hazardous Decomposition Products :Decomposes with heat. Will emit Ammonia and Nitrogen oxides if heated to decomposure. 10.4 Stability :Stable under the recommended storage and handling						
9.8 Solubility (water) :100% Soluble 9.9 Solubility (other) :No Data 9.10 Specific Gravity :1.09g/cm3kg.m3 @ 20°C  10.0 STABILITY AND REACTIVITY 10.1 Conditions to Avoid :Avoid contact with oxidising agents. 10.2 Materials to Avoid :Strongly alkaline acid and alkali materials. 10.3 Hazardous Decomposition Products :Decomposes with heat. Will emit Ammonia and Nitrogen oxides if heated to decomposure. 10.4 Stability :Stable under the recommended storage and handling		1 *	on Flammable			
9.8 Solubility (water) :100% Soluble 9.9 Solubility (other) :No Data 9.10 Specific Gravity :1.09g/cm3kg.m3 @ 20°C  10.0 STABILITY AND REACTIVITY 10.1 Conditions to Avoid :Avoid contact with oxidising agents. 10.2 Materials to Avoid :Strongly alkaline acid and alkali materials. 10.3 Hazardous Decomposition Products :Decomposes with heat. Will emit Ammonia and Nitrogen oxides if heated to decomposure. 10.4 Stability :Stable under the recommended storage and handling	9.7	Oxidising Properties :N/A	A			
9.10 Specific Gravity :1.09g/cm3kg.m3 @ 20°C  10.0 STABILITY AND REACTIVITY 10.1 Conditions to Avoid :Avoid contact with oxidising agents. 10.2 Materials to Avoid :Strongly alkaline acid and alkali materials. 10.3 Hazardous Decomposition Products :Decomposes with heat. Will emit Ammonia and Nitrogen oxides if heated to decomposure. 10.4 Stability :Stable under the recommended storage and handling		Solubility (water) :10	0% Soluble			
10.0 STABILITY AND REACTIVITY 10.1 Conditions to Avoid :Avoid contact with oxidising agents. 10.2 Materials to Avoid :Strongly alkaline acid and alkali materials. 10.3 Hazardous Decomposition Products :Decomposes with heat. Will emit Ammonia and Nitrogen oxides if heated to decomposure. 10.4 Stability :Stable under the recommended storage and handling	9.9	Solubility (other) :No	o Data			
10.1 Conditions to Avoid :Avoid contact with oxidising agents.  10.2 Materials to Avoid :Strongly alkaline acid and alkali materials.  10.3 Hazardous Decomposition Products :Decomposes with heat. Will emit Ammonia and Nitrogen oxides if heated to decomposure.  10.4 Stability :Stable under the recommended storage and handling	9.10	Specific Gravity :1.0	9g/cm3kg.m3 @ 20°C			
10.1 Conditions to Avoid :Avoid contact with oxidising agents. 10.2 Materials to Avoid :Strongly alkaline acid and alkali materials. 10.3 Hazardous Decomposition Products :Decomposes with heat. Will emit Ammonia and Nitrogen oxides if heated to decomposure. 10.4 Stability :Stable under the recommended storage and handling						
10.2 Materials to Avoid :Strongly alkaline acid and alkali materials. 10.3 Hazardous Decomposition Products :Decomposes with heat. Will emit Ammonia and Nitrogen oxides if heated to decomposure. 10.4 Stability :Stable under the recommended storage and handling						
10.3 Hazardous Decomposition Products :Decomposes with heat. Will emit Ammonia and Nitrogen oxides if heated to decomposure.  10.4 Stability :Stable under the recommended storage and handling			5 5			
oxides if heated to decomposure.  10.4 Stability :Stable under the recommended storage and handling			<del>-</del> •			
10.4 Stability :Stable under the recommended storage and handling	10.3	Hazardous Decomposition Products				
	10.4	Stability	<u> •</u>			
			=			
			•			

11.0	TOXICOLOGICAL INFORMATION			
	Low acute oral toxicity-May be absorbed through the skin. The liquid irritates the eyes and may			
	cause light skin irritation. Avoid contact with eyes and skin.			
12.0	ECOLOGICAL INFORMATION			
12.1	Biodegradability :No data			
12.2	Aquatic Toxicity :No data			
12.3	Ecotoxicity :No data.			
13.0	DISPOSAL CONSIDERATIONS			
13.1	Method :Prevent liquid from entering sewers, waterways etc. soak up with inert material,			
	eg sawdust, sand and dispose of in accordance with local regulations.			
14.0	TRANSPORT INFORMATION			
14.1	UN Number :NR			
14.2	Symbols :Xi			
14.3	Road-Rail (ADRRID) Class: Hazard Name:			
14.4	Sea Freight (IMO) Class: No Special Requirements Packaging Group:			
1 4 5	Proper Shipping Name: IMO Marine Pollutant: No Data			
14.5	Air Freight (ICAO) Class): No Special Requirements Packaging Group:			
15.0	Proper Shipping Name:			
15.0	REGULATORY INFORMATION			
15.1	EEC Supply Classification and Labelling :Irritant			
15.2	Hazard Symbol :Xi			
15.3	Risk Phrases :R22-Harmful if swallowed.			
15.4	Safety Phrases: 26-In case of contact with eyes, rinse immediately with plenty of water and seek			
	medical attention,28-After contact with skin wash immediately with plenty of soap and			
	water,36/37/39-Wear suitable protective clothing, gloves & eye/face protection,24-Avoid contact			
	with skin.			
16.0	OTHER INFORMATION			
16.0	Source of Information :FENTEX Limited Database			
16.1	Issue Date  1. FENTEX Limited Database 1. Source of Information 1. Source of Informati			
	1			
16.3	Issue Number :One			

This data sheet was prepared in accordance with Directives.

Information and recommendations contained in this publication are to the best of our knowledge and believed accurate at the time of publication. It is given in the best faith only as a guide and does not imply any commitment or guarantee on our part.

As FENTEX Limited has no control over the use to which the user may put the material, it does not claim or warrant that in the user's particular circumstances the results that the user will obtain from the use of the product will be the same as those described in this document, or that the user will find the information or recommendations complete, accurate or useful.

FENTEX Limited warrants only that it's products will meet it's specification. FENTEX Limited will not be responsible for incidental or consequential damage

Page 3 of 3 RROST